


Fixed base plate mounted columns

Most columns used throughout Australia are of the fixed variety due to their reasonably low cost and easy accessibility with the wide range of cherry pickers that are available these days. Our standard range of base plate mounted fixed columns are up to 30m in height but we are able to quote and supply columns up to a height of 50m. We also manufacture direct burial fixed columns but we limit the mounting height of these columns to 12.5 metres.

All of our fixed columns come with one standard access door, baseplate or cable entry and a spigot to suit a head frame or light fitting. Another option is the columns can be fitted with a single or multi armed curved or straight outreach. All our columns are hot dip galvanised after fabrication and can then be powder coated if required.

We can also manufacture columns with a 12 sided or 16 sided format and have access to round tapered columns for larger orders. Please contact our sales office to discuss any of these special order items or if you have a design that you would like to have custom made.




Uncontrolled Document Page 1 of 3







Fixed Base Plate mounted columns



Uncontrolled Document Page 2 of 3

t. (61) 8 9361 7666 | e. info@adcoote.com.au w. adcoote.com.au | abn. 36 008 711 466 51-57 Welshpool Rd, WELSHPOOL, WA 6106





Fixed Base Plate mounted columns / Standard Duty

	Height	Sweet	A/F top	Approx.	Door	Door	
Code	metres	A/F base mm	mm	Weight kg	Width	Height	Ragbolts
FX030LB	3	121	78	29	85	290	R250164
FX035LB	3.5	128	78	33	85	290	R250164
FX040LB	4	135	78	38	85	290	R250164
FX045LB	4.5	142	78	43	100	290	R250164
FX050LB	5	149	78	49	100	290	R250164
FX055LB	5.5	157	78	54	100	290	R250164
FX060LB	6	164	78	60	100	290	R250164
FX065LB	6.5	171	78	66	130	440	R250164
FX070LB	7	186	78	82	130	440	R350244
FX075LB	7.5	193	78	88	130	440	R350244
FX080LB	8	201	78	96	130	440	R350244
FX085LB	8.5	210	78	104	130	440	R350244
FX090LB	9	216	78	111	130	440	R350244
FX095LB	9.5	224	78	122	130	440	R350244
FX100LB	10	232	78	131	160	590	R350244
FX105LB	10.5	240	78	139	160	590	R350244
FX110LB	11	250	78	149	160	590	R350244
FX115LB	11.5	258	78	159	160	590	R350244
FX120LB	12	265	78	168	160	590	R350244
FX125LB	12.5	272	78	178	160	590	R350244
FX130LB	13	280	78	209	160	590	R500304
FX135LB	13.5	288	78	243	160	590	R500304
FX140LB	14	294	78	254	200	590	R500304
FX145LB	14.5	299	78	265	200	590	R500304
FX150LB	15	308	78	278	200	590	R500304
FX155LB	15.5	318	78	293	200	590	R500304
FX160LB	16	325	78	305	200	590	R500304
FX165LB	16.5	329	78	316	200	590	R500304
FX170LB	17	351	91	425	200	590	R500304
FX175LB	17.5	360	91	445	200	590	R500308
FX180LB	18	369	91	465	200	590	R500308
FX185LB	18.5	378	91	485	200	590	R500308
FX190LB	19	387	91	506	200	590	R500308
FX195LB	19.5	396	91	541	200	590	R500308
FX200LB	20	397	91	560	200	590	R500308
			107507			57,537	100000000000000000000000000000000000000
FX210LB	21	413	91	599	200	590	R550308
FX220LB	22	456	106	816	200	590	R600308
FX230LB	23	480	106	885	200	590	R600308
FX240LB	24	500	106	964	200	590	R600308
FX250LB	25	592	150	1,232	200	590	R750308

Uncontrolled Document Page 3 of 3







