

The Bordeaux

The "Bordeaux" decorative column has been designed as a complete decorative range of columns which complement our range of standard columns and is available with two types of base sections, 16-sided or pipe, It is also available with a base plate for concrete footings, or direct - buried.

This column design has become so popular that it was selected as a decorative alternative to octagonal columns by Western Power and is now used in many new suburbs in the Perth area. Various sizes are available to suit pathway or park lighting, using post top or under-slung decorative luminaries.

Larger sizes are available for major and minor roadway lighting and can be supplied with pipe curved or gooseneck single or double outreaches for different types of luminaries. The Bordeaux columns are generally supplied powder coated in a wide selection of standard colours but can be supplied in a plain galvanised finish.







Uncontrolled Document






Page 1 of 3




The Bordeaux


The standard Bordeaux has a 76mm diameter shaft and is suitable for a direct post top light fitting or any sort of outreach configuration of which some of our standard attachments are shown below.



Our standard Bordeaux fittings as supplied under the street vision concept. Left is the Avenue Bracket and right, the Nostalgia.



Double and single Gooseneck brackets are also another common choice to mount on the Bordeaux.



Uncontrolled Document

Page 2 of 3

t. (61) 8 9361 7666 | e. info@adcoote.com.au w. adcoote.com.au | abn. 36 008 711 466 51-57 Welshpool Rd, WELSHPOOL, WA 6106







The Bordeaux

Below are tables displaying our standard range of Bordeaux Columns identified with the code on the left side of the chart (identified BORD = bordeaux, 030 = height in metres and B or G for base plate or in ground mount).

Code	Height metres	Spigot Size	Door Width	Door Height	Ragbolts
BORD030B	3	76	120	350	R250164
BORD035B	3.5	76	120	350	R250164
BORD040B	4	76	120	350	R250164
BORD045B	4.5	76	120	350	R250164
BORD050B	5	76	120	350	R250164
BORD055B	5.5	76	120	350	R250164
BORD060B	6	76	120	350	R250164
BORD065B	6.5	76	120	350	R350244
BORD070B	7	76	120	350	R350244
BORD075B	7.5	76	120	350	R350244
BORD080B	8	76	120	350	R350244

Code	Height metres	Spigot Size	Door Width	Door Height	Burial Depth
BORD030G	3	76	120	350	1.5 M
BORD035G	3.5	76	120	350	1.5 M
BORD040G	4	76	120	350	1.5 M
BORD045G	4.5	76	120	350	1.5 M
BORD050G	5	76	120	350	1.5 M
BORD055G	5.5	76	120	350	1.5 M
BORD060G	6	76	120	350	1.5 M
BORD065G	6.5	76	120	350	1.5 M
BORD070G	7	76	120	350	1.5 M
BORD075G	7.5	76	120	350	1.5 M
BORD080G	8	76	120	350	1.5 M

Uncontrolled Document

Page 3 of 3

t. (61) 8 9361 7666 | e. info@adcoote.com.au w. adcoote.com.au | abn. 36 008 711 466 51-57 Welshpool Rd, WELSHPOOL, WA 6106





